

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 10/12/2000		2. REPORT TYPE CONFERENCE PROCEEDINGS		3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE MEASUREMENT OF PHYSICAL MODEL WAVE DIFFRACTION PATTERNS USING VIDEO				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER 0602435N	
				5d. PROJECT NUMBER	
6. AUTHOR(S) William R. Curtis, Kent Hathaway, William C. Seabergh and K. T. Holland				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory Marine Geoscience Division Stennis Space Center, MS 39529-5004				8. PERFORMING ORGANIZATION REPORT NUMBER NRL/PP/7440--00-1005	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office Of Naval Research				10. SPONSOR/MONITOR'S ACRONYM(S) ONR	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The complex interaction of surface waves with coastal inlet structures and inlet morphology is of significant importance to navigation channel operation and maintenance. Wave data in the vicinity of coastal inlets are limited. Where field wave data exist, the temporal and spatial coverage is inadequate to resolve the evolution of wave refraction and diffraction patterns of the free surface. To address the challenge of quantifying variations in wave direction in the coastal system, the US Army Engineer Research and Development Center applied video techniques in a physical model to obtain spatially and temporally dense measurements of wave direction. These measures are required to advance understanding of first-order inlet processes and to use the measurements in numerical simulation model development and verification. In this paper, detailed results are discussed for random and a single monochromatic wave experiments conducted for evaluation of wave diffraction patterns influenced by coastal structures and coastal inlet bathymetry.					
15. SUBJECT TERMS bathymetry, wave data and wave diffraction					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON K. T. Holland
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) 228-688-5320

20010920 084

PUBLICATION OR PRESENTATION RELEASE REQUEST

SSC-130-00

NRLINST 5600.2

1. REFERENCES AND ENCLOSURES	2. TYPE OF PUBLICATION OR PRESENTATION	3. ADMINISTRATIVE INFORMATION	
Ref: (a) NRL Instruction 5600.2 (b) NRL Instruction 5510.40D Encl: (1) Two copies of subject paper (or abstract)	<input type="checkbox"/> Abstract only, published <input type="checkbox"/> Book <input type="checkbox"/> Conference Proceedings (refereed) <input type="checkbox"/> Invited speaker <input type="checkbox"/> Journal article (refereed) <input type="checkbox"/> Oral Presentation, published <input type="checkbox"/> Other, explain <input type="checkbox"/> Abstract only, not published <input type="checkbox"/> Book Chapter <input checked="" type="checkbox"/> Conference Proceedings (not refereed) <input type="checkbox"/> Multimedia report <input type="checkbox"/> Journal article (not refereed) <input type="checkbox"/> Oral Presentation, not published	STRN <u>NRL/PP/7440--00-1005</u> Route Sheet No. _____ Job Order No. _____ Classification <input checked="" type="checkbox"/> U _____ C Sponsor <u>ONR</u> approval obtained <input checked="" type="checkbox"/> yes _____ no	
4. AUTHOR			
Title of Paper or Presentation MEASUREMENT OF PHYSICAL MODEL WAVE DIFFRACTION PATTERNS USING VIDEO			
Author(s) Name(s) (First, Mi, Last), Code, Affiliation if not NRL William R. Curtis (USAE R&D Center, Vicksburg, MS), Kent Hathaway (USAE R&D Center, Kitty Hawk, NC), William C. Seabergh (USAE R&D Center, Vicksburg, MS) and K.T. Holland (NRL Code 7440.3)			
It is intended to offer this paper to the <u>4th International Symposium on Ocean Wave Measurement and Analysis</u> (Name of Conference) September 3-5, 2001, San Francisco, CA. (Date, Place and Classification of Conference)			
and/or for publication in _____ (Name and Classification of Publication) (Name of Publisher)			
After presentation or publication, pertinent publication/presentation data will be entered in the publications data base, in accordance with reference (a). It is the opinion of the author that the subject paper (is _____) (is not <input checked="" type="checkbox"/>) classified, in accordance with reference (b). This paper does not violate any disclosure of trade secrets or suggestions of outside individuals or concerns which have been communicated to the Laboratory in confidence. This paper (does _____) (does not <input checked="" type="checkbox"/>) contain any militarily critical technology. This subject paper (has _____) (has never <input checked="" type="checkbox"/>) been incorporated in an official NRL Report. <u>K. T. Holland, NRL Code 7440.3</u> Name and Code (Principal Author) (Signature)			
5. ROUTING/APPROVAL			
CODE	SIGNATURE	DATE	COMMENTS
Author(s) Holland	<i>K. T. Holland</i>	10/16/00	
Section Head N/A			
Branch Head <i>acting</i> Harris	<i>K. T. Holland</i>	10/16/00	
Division Head <i>Acting 7440.3</i> Eppert	<i>Philip J. Valent</i>	10/16/00	1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (has _____) (has never <input checked="" type="checkbox"/>) been classified.
Security, Code 4221.1 7031	<i>David R. Cady</i>	10/18/00	1. Paper or abstract was released. 2. A copy is filed in this office. <u>SSC-130-00</u>
Office of Counsel, Code 008.2	<i>W. R. Curtis</i>	10/23/00	
ADOR/Director NCST			
Public Affairs (Unclassified/ Unlimited Only), Code 1230 7030.4	<i>David R. Cady</i>	10/18/00	
Division, Code			
Author, Code 7440.3			

6. DISTRIBUTION STATEMENTS (Author to check appropriate statement and fill in reason as required)

☒ **A - Approved for public release, distribution is unlimited.**

☐ **B - Distribution authorized to U.S. Government agencies only (check reason below):**

- | | | |
|---|--|--|
| <input type="checkbox"/> Foreign Government Information | <input type="checkbox"/> Contractor Performance Evaluation | <input type="checkbox"/> Critical Technology |
| <input type="checkbox"/> Proprietary Information | <input type="checkbox"/> Administrative/Operational Use | <input type="checkbox"/> Premature Dissemination |
| <input type="checkbox"/> Test and Evaluation | <input type="checkbox"/> Software Documentation | <input type="checkbox"/> Cite "Specific Authority" _____ |

Date statement applied _____

(Identification of valid _____)

Other requests for this document shall be referred to _____

(Insert Controlling DOD)

☐ **C - Distribution authorized to U.S. Government agencies and their contractors (check reason below):**

- | | | |
|---|---|--|
| <input type="checkbox"/> Foreign Government Information | <input type="checkbox"/> Software Documentation | <input type="checkbox"/> Cite "Specific Authority" _____ |
| <input type="checkbox"/> Administrative/Operational Use | <input type="checkbox"/> Critical Technology | |

Date statement applied _____

(Identification of valid _____)

Other requests for this document shall be referred to _____

(Insert Controlling DOD)

☐ **D - Distribution authorized to DOD and DOD contractors only (check reason below):**

- | | |
|---|--|
| <input type="checkbox"/> Foreign Government Information | <input type="checkbox"/> Critical Technology |
| <input type="checkbox"/> Software Documentation | <input type="checkbox"/> Cite "Specific Authority" _____ |
| <input type="checkbox"/> Administrative/Operational Use | (Identification of valid _____) |

Date statement applied _____

Other requests for this document shall be referred to _____

(Insert Controlling DOD)

☐ **E - Distribution authorized to DOD components only (check reason below):**

- | | | |
|---|--|--|
| <input type="checkbox"/> Proprietary Information | <input type="checkbox"/> Premature Dissemination | <input type="checkbox"/> Critical Technology |
| <input type="checkbox"/> Foreign Government Information | <input type="checkbox"/> Software Documentation | <input type="checkbox"/> Direct Military Support |
| <input type="checkbox"/> Administrative/Operational Use | <input type="checkbox"/> Contractor Performance Evaluation | <input type="checkbox"/> Test and Evaluation |
| | | <input type="checkbox"/> Cite "Specific Authority" _____ |

Date statement applied _____

(Identification of valid _____)

Other requests for this document shall be referred to _____

(Insert Controlling DOD)

☐ **F - Further dissemination only as directed by _____**

(Insert Controlling DOD)

Date statement applied _____

or higher DOD authority _____

☐ **X - Distribution authorized to U.S. Government agencies and private individuals or enterprises eligible to obtain export-controlled technical data in accordance with regulations implementing 10 U.S.C. 140c.**

Date statement applied _____

Other requests for this document shall be referred to _____

(Insert Controlling DOD)

*For NRL publications, this is usually the Commanding Officer, Naval Research Laboratory, Washington, DC 20375-5320

7. OTHER LIMITATION

☐ Classification only ☐ NOFORN ☐ DTIC exempt (explain) _____

@ 19 Oct 00

Classification Review
(Initial/Date)

Substantive changes made in this document after approval by Classification Review and Public Release invalidate these reviews. Therefore, if any substantive changes are made by the author, Technical Information, or anyone else, the document must be returned for another Classification Review and Public Release.

8. INSTRUCTIONS

Author completes and submits this form with the manuscript via line channels to the division head for review and approval according to the routing in section 4.

1. NRL Reports.....Submit the diskette (if available), manuscript, typed double-spaced, complete with tables, illustrations, references, draft SF 298, and proposed distribution list.
2. NRL Memorandum Reports.....Submit a copy of the original, typed manuscript complete with tables, illustrations, references, draft SF 298, and proposed distribution list.
3. NRL Publications or other books, brochures, pamphlets,.....Handled on a per case basis by Site Technical Information Office. proceedings, or any other printed publications.

Measurement of Physical Model Wave Diffraction Patterns Using Video

William R. Curtis¹, Kent Hathaway², William C. Seabergh³ and Todd K. Holland⁴

The complex interaction of surface waves with coastal inlet structures and inlet morphology is of significant importance to navigation channel operation and maintenance. Wave data in the vicinity of coastal inlets are limited. Where field wave data exist, the temporal and spatial coverage is inadequate to resolve the evolution of wave refraction and diffraction patterns of the free surface. To address the challenge of quantifying variations in wave direction in the coastal system, the US Army Engineer Research and Development Center applied video techniques in a physical model to obtain spatially and temporally dense measurements of wave direction. These measures are required to advance understanding of first-order inlet processes and to use the measurements in numerical simulation model development and verification. In this paper, detailed results are discussed for random and a single monochromatic wave experiments conducted for evaluation of wave diffraction patterns influenced by coastal structures and coastal inlet bathymetry.

The video system consists of ground-controlled camera stations mounted at vantage points above the free surface of the physical model. The close range of the camera stations from the area of interest (<10 m), allows for a horizontal spatial resolution on the order of 1 cm. As many as six-camera stations are used to provide broad spatial coverage of the physical model's coastal processes. Video data are collected at a rate of 30 Hz and pixel intensity time series are digitized at locations of interest within the physical model. Pixel array data are then processed using spectral analysis methods to determine variance

¹ Corresponding Author, US Army Engineer Research and Development Center, Coastal and Hydraulics Laboratory, 3909 Halls Ferry Road, Vicksburg, MS 39180, USA. Voice: (601) 634-3040, Facsimile: (601) 634-3080, Email: CURTISW@wes.army.mil

² US Army Engineer Research and Development Center, Field Research Facility, 1261 Duck Road, Kitty Hawk, NC 27949, USA. Voice: (252) 261-6840, Facsimile: (252) 261-4432, Email: HATHAWK@wes.army.mil

³ US Army Engineer Research and Development Center, Coastal and Hydraulics Laboratory, 3909 Halls Ferry Road, Vicksburg, MS 39180, USA. Voice: (601) 634-3788, Facsimile: (601) 634-3080, Email: SEABERW@wes.army.mil

⁴ US Naval Research Laboratory, Code 7442 Building 2438, Stennis Space Center, MS 39729-5004, USA. Voice: (228) 688-5320, Facsimile: (228) 688-4476, Email: tholland@nrlssc.navy.mil

and directional spectral estimates. These *virtual* wave gage arrays may be located anywhere in a camera's field of view. Figure 1 demonstrates the utility of the system, as measurement of peak wave direction from a single camera view is indicated at 305 locations in the diffraction zone of an idealized coastal inlet.

Preliminary comparison of video-derived frequency-directional spectra with co-located acoustic doppler velocimetry (ADV) measurements indicates a high degree of accuracy. As shown in Figure 2, *in situ* and remotely sensed variance spectra have a similar shape over the frequency bands of interest and spectral peaks coincide. Near the spectral peak, wave directions are typically within 5° of the ADV measurements.




Figure 1 Video-derived Peak wave direction vectors superimposed on rectified frame collected during a random wave test. Vectors scaled by wave celerity.




Figure 2 Co-located measurements from *in situ* ADV probe and two camera stations for a random wave test case with $f_{\text{peak}} = 1.25$ sec. Dashed lines represent simulated high and low wave frequency content.

Presenting Author: William R. Curtis